Manner: UNDETERMINED

Deaths are certified as undetermined (or unclassified) manner of death when available information is insufficient to classify the death into one of the specific manners of natural or unnatural death. Information concerning the circumstances may be lacking because of the absence of background information or witnesses, or because of a lengthy delay between death and discovery of the body. If an extensive investigation and autopsy cannot clarify the circumstances, the death is placed in this category. Within King County, there were 63 deaths with manner undetermined, accounting for 4% (63/1578) of the Medical Examiner death investigations for the calendar year 2001. Drugs caused twenty-one (33%) of the 63 deaths of undetermined manner. For a more detailed review of drug-caused deaths in 2001, see also the discussion in the section on Drugs and Poisons on pages 81 & 82.

Graph 8-1 Undetermined Circumstances in 2001








Table 8-1 Undetermined Circumstances and Race of the Decedent

			RACE			_	
CIRCUMSTANCES / GENDER	WHITE	BLACK	ASIAN	NATIVE AMERICAN	OTHER	SUB TOTAL	TOTAL
Asphyxia/Hanged	1	0	0	0	0		1
Male Female	1 0	0 0	0 0	0 0	0 0	1 0	
Burns, Fire/Heat	1	0	0	0	0		1
Male Female	0 1	0 0	0 0	0 0	0 0	0	
Blunt Impact	3	1	0	0	0		4
Male Female	2 1	1 0	0 0	0 0	0 0	3 1	
Carbon Monoxide	1	0	0	0	0		1
Male Female	1 0	0 0	0 0	0 0	0 0	1 0	
Drowning	4	1	0	0	0		5
Male Female	2 2	1 0	0 0	0 0	0 0	3 2	
Drugs/poisons	18	2	1	0	0		21
Male Female	7 11	2 0	1 0	0 0	0 0	10 11	
Fall	4	0	0	0	0		4
Male Female	4 0	0 0	0 0	0 0	0 0	4 0	
Firearm	0	0	0	0	0		0
Male Female	0 0	0 0	0 0	0 0	0 0	0 0	
No anatomic or toxicologic cause of death	7	1	1	1	0		10
Male Female	1 6	0 1	0	0 1	0	1 9	
Other	10	2	1	0	3		16
Male Female	6 4	1 1	1 0	0 0	0 3	8 8	
Total	49	7	3	1	3		63
Percent	78%	11%	5%	2%	5%		

Graph 8-2 Deaths Due to Undetermined Circumstances and Race of the Decedent



Graph 8-3 Deaths Due to Undetermined Circumstances and Age Group of the Decedent



Page 79

Table 8-2 Undetermined Circumstances and Age Group of the Decedent

AGE GROUP (YEARS)									<u> </u>						
INJURY METHOD / GENDER	<1	1 to 4	5 to 15	16 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 +	Unk	SUB TOTAL	TOTAL
Asphyxia/Hanged	0	0	0	1	0	0	0	0	0	0	0	0	0		1
Male Female	0 0	0 0	0 0	1 0	0 0	0	0	1 0							
Burns, Fire/Heat	0	0	1	0	0	0	0	0	0	0	0	0	0		1
Male Female	0	0 0	0 1	0 0	0	0	0 1								
Blunt Impact	0	0	0	0	1	0	1	1	1	0	0	0	0		4
Male Female		0	0	0	0 1	0	1 0	1 0	1 0	0	0	0	0	3 1	
Carbon Monoxide	0	0	0	0	0	0	1	0	0	0	0	0	0		1
Male Female	0	0	0	0	0	0	1 0	0	0	0	0	0	0	1 0	
Drowning	0	0	0	0	0	1	4	0	0	0	0	0	0		5
Male Female	0	0	0	0	0	0 1	3 1	0	0	0	0	0	0	3 2	
Drugs/poisons	1	0	1	1	1	5	2	9	0	1	0	0	0		21
Male Female	1 0	0	1 0	1 0	0 1	1 4	1 1	5 4	0	0 1	0	0	0	10 11	
Fall	0	0	0	0	0	2	0	1	1	0	0	0	0		4
Male Female	0	0	0	0	0	2	0	1 0	1	0	0	0	0	4 0	
No anatomic or toxicological cause of death	0	1	0	0	4	1	1	0	2	0	1	0	3		13
Male Female	0	0 1	0 0	0 0	0 4	0 1	0 1	0 0	0 2	0 0	0 1	0	1 2	1 12	
Other	0	0	0	0	3	3	2	0	2	2	1	0	0		13
Male Female		0 0	0 0	0 0	3 0	3 0	1 1	0 0	0 2	1 1	0 1	0	0 0	8 5	
Total	1	1	2	2	9	12	11	11	6	3	2	0	3		63
Percent	1.6	1.6	3.2	3.2	14	19	17	17	9.5	4.8	3.2	0	4.8		

Table 8-3 Undetermined Circumstances and Gender of the Decedent

GENDER INJURY METHOD MALE **FEMALE TOTAL** Asphyxia/Hanged 1 0 1 Burns, Fire/Heat 0 1 1 Blunt Impact 1 1 0 1 Carbon Monoxide Drowning 3 2 5 Drugs/poisons 21 10 11 4 Fall 0 4 No anatomic or toxicologic cause of death 1 12 13 Other 5 13 8 Total 32 63 31 Percent 49 51

Table 8-4 Undetermined Circumstances and Blood Alcohol
Test Results of the Decedent

	TES	STED	NOT	
METHOD	POSITIVE	NEGATIVE	TESTED	TOTAL
Asphyxia/Hanged	0	1	0	1
Burns, Fire/Heat	0	0	1	1
Blunt Impact	1	2	1	4
Carbon Monoxide	1	0	0	1
Drowning	1	4	0	5
Drugs/poisons	6	15	0	21
Fall	2	2	0	4
No anatomic or toxicologic cause of death	4	6	3	13
Other	4	7	2	13
Total	19	37	7	63